





TUBES



	No.	ETRTO	Size	!	🔩	AV	DV	RV	SV																											
12"	1	47-203 54-203 62-203	12 1/2 x 1.75 12 x 2.10 12 1/2 x 2 1/4		80 g	AV 1 10405310	AV 1 45° 10405320	DV 1 10405311	RV 1 10405312	SV 1 10405313																										
14"	2A	47-254 50-254 54-254 57-254 60-254	14 x 1.75 14 x 2.00 14 x 2.10 14 x 2.25 14 x 2.35		80 g	AV 2A 10407510																														
	2	37-288 44-288 32-298 37-298 40-305	14 x 1 3/8 14 x 1 1/8 14 x 1 1/4 14 x 1 3/8 16 x 1.50	350 x 35A 350 x 42A 350 x 32A	85 g	AV 2 10407310	DV 2 10407311	RV 2 10407312	SV 2 10407313																											
											16"	3	47-305 50-305 54-305 57-305 62-305	16 x 1.75 16 x 2.00 16 x 2.10 16 x 2.125 16 x 2.50		115 g	AV 3 10409310	DV 3 10409311	RV 3 10409312	SV 3 10409313																
																					4	37-340 28-349 37-349 28-355 35-355	16 x 1 3/8 16 x 1 1/8 16 x 1 3/8 18 x 1 1/8 18 x 1.35	400 x 35A	85 g	AV 4 10410310	DV 4 10410311		SV 4 10410313							
																														18"	5	40-355 47-355 32-369 37-390 37-400	18 x 1.50 18 x 1.75 17 x 1 1/4 18 x 1 3/8 18 x 1 3/8	450 x 35A	95 g	AV 5 10412310
5A	47-355 50-355 54-355 57-355 60-355	18 x 1.75 18 x 2.00 18 x 2.10 18 x 2.25 18 x 2.35		95 g			SV 5A 10412513																													
								20"	6	28-406 32-406 35-406 37-406 40-406	20 x 1 1/8 20 x 1 1/4 20 x 1.35 20 x 1 3/8 20 x 1.50		95 g	AV 6 10413310			SV 6 10413313																			
																		7	40-406 47-406 50-406 54-406 57-406 60-406 62-406 54-428	20 x 1.50 20 x 1.75 20 x 2.00 20 x 2.10 20 x 2.125 20 x 2.35 20 x 2.50 20 x 2.00		145 g	AV 7 10415310	DV 7 10415611	RV 7 10415312	SV 7 10415313										
																											7A	37-438 28-440 37-440 28-451 37-451	20 x 1 3/8 20 x 1 1/8 20 x 1 3/8							
7B	23-451 25-451	20 x 0.90 20 x 1.00		85 g	AV 7B 10416290		SV 7B 10400013																													
																														22"	8	44-484 37-489 28-490 37-490 37-501	22 x 1 1/2 22 x 1 3/8 NL 22 x 1 3/8 22 x 1 3/8	550 x 28A 550 x 35A	120 g	AV 8 10417310
8A	25-489 28-489 25-501 28-501	22 x 1.00 22 x 1 1/8 22 x 1.00 B.S. 22 x 1 1/8 B.S.		80 g	AV 8A 10417240			SV 8A 10517213																												
									8B	40-457 47-457 50-457 54-457	22 x 1.50 22 x 1.75 22 x 2.00 22 x 1.10		140 g		DV 8B 10400011																					



THE SCHWALBE TUBE

A tube is not just a tube.

Airtightness. Schwalbe tubes retain air pressure considerably longer. The quality and the material purity of the rubber mixture directly effects the quality of the tube. Each Schwalbe tube is individually inflated and inserted into a mold. This ensures the even wall thickness and excellent air retention.

Reliability. Consistent quality control brings with it the security of use: Each tube is inflated at the factory and stored under pressure for 24 hours in order to test the air retention.


Group Tube System. The high elasticity and quality material used in our tubes allows a great many tire sizes to be covered. For example tube no.17 fits section widths from 28 mm up to 47 mm. Only an extremely high-quality and reliable tube is up to this requirement.



Schwalbe tubes are the only bicycle tubes that carry the sought after "VSF-All ride" seal of approval. The VSF is a federation of professional and quality-oriented German bicycle dealers.

RETAINS PRESSURE LONGER!

In comparative tests against other tubes (including named brands, own-label brands and "No Name" products). The result was clear. Over a period of 30 days the other tubes lost nearly twice as much pressure than Schwalbe tubes. Possible reasons: Less butyl content, or lower quality of butyl. Schwalbe is uncompromising in its standards – despite ever increasing world market prices of butyl.



All tubes were tested on the same rim with the same tire. Tire size 28" x 1.75" (47-622). Start pressure 5 bar. Loss after 30 days.

TUBES



AV

Auto,
Moto



DV

Fahrrad,
Woods,
Hollands



RV

Italian,
Regina



SV

Scloverand,
Presta,
French

40 mm

32 mm

40 mm

40 mm

40 mm

60 mm

80 mm

	No.	ETRTO	Size	!			AV	DV	RV	SV	
24"	9	47-507	24 x 1.75			130 g					
		28-540	24 x 1 1/8				AV 9	DV 9	RV 9	SV 9	
		37-540	24 x 1 3/8				10419310	10419311	10419312	10419313	
		28-541		600 x 28A							
		37-541		600 x 37A							
	9A	20-540	24 x 3/4			95 g					SV 9A
		25-540	24 x 1.00				AV 9A				10419213
		28-540	24 x 1 1/8				10419240				
		25-541	600 x 25A								
		28-541	600 x 28A								
	9C	18-520	24 x 3/4			90 g					SV 9C
		20-520	24 x 3/4								10418343
22-520		24 x 7/8									
23-520		24 x 7/8									
25-520		24 x 1.00									
28-520		24 x 1.10									
10	40-507	24 x 1.50			165 g						
	47-507	24 x 1.75				AV 10	DV 10	RV 10	SV 10		
	50-507	24 x 2.00				10421310	10421611	10421312	10421313		
	54-507	24 x 2.10									
	57-507	24 x 2.25									
	62-507	24 x 2.50									
	57-520	25 x 2.25									
	26"	11A	20-559	26 x 3/4			140 g	AV 11A			SV 11A
			25-559	26 x 1.00				10422240			10422213
20-571			650 x 20C								
23-571			650 x 23C								
12		47-559	26 x 1.75			140 g					
	47-571	26 x 1 1/8		650 x 45C		AV 12	DV 12	RV 12	SV 12		
	37-584	26 x 1 1/2 x 1 3/8		650 x 35B		10423340	10423611	10423342	10423343		
	44-584	26 x 1 1/2 x 1 3/8		650 x 42B			WP				
	32-590	26 x 1 1/4		650 x 32A			10923311				
	37-590	26 x 1 3/8		650 x 35A							
	44-590	26 x 1 3/8		650 x 42A							
	32-597	26 x 1 1/4									
12A	25-559	26 x 1.00			120 g						
	28-559	26 x 1.10				AV 12A		RV 12A	SV 12A		
	32-559	26 x 1 1/4				10432340		10432342	10432343		
	35-559	26 x 1.35									
	40-559	26 x 1.50									
12B	20-590	26 x 3/4		650 x 20A	90 g	AV 12B				SV 12B	
	25-590	26 x 1.00		650 x 25A		10423290				10423223	
13	40-559	26 x 1.50			190 g						
	47-559	26 x 1.75				AV 13	DV 13	RV 13	SV 13	SV extralong 13	
	50-559	26 x 2.00				10425340	10425311	10425342	10425343	10425363	
	54-559	26 x 2.10				WP	WP	WP	WP		
	57-559	26 x 2.25				10925440	10925311				
	60-559	26 x 2.35									
	62-559	26 x 2.50									
	28"	15	18-622	28 x 3/4	700 x 18C	105 g					
			20-622	28 x 3/4	700 x 20C		AV 15	DV 15	RV 15	SV 15	SV extralong 15
22-622			28 x 7/8	700 x 22C		10427340	10427611	10427342	10427343	10427363	
23-622			28 x 7/8	700 x 23C							
25-622			28 x 1.00	700 x 25C							
28-622			28 x 1.10	700 x 28C							
22-630			27 x 7/8					WP		WP	WP
25-630			27 x 1.00					10927611		10927443	10927063
16		28-622	28 x 1 1/8 x 1 1/8	700 x 28C		115 g					
		30-622	28 x 1.20	700 x 30C			DV 16	RV 16	SV 16	SV extralong 16	
		32-622	28 x 1 1/8 x 1 1/4	700 x 32C			10431311	10431312	10431343	10431363	
	28-630	27 x 1 1/4, Fifty									
	32-630	27 x 1 1/4									
17	40-609	27 x 1 1/2			150 g						
	28-622	28 x 1 1/8 x 1 1/8	700 x 28C			AV 17	DV 17	RV 17	SV 17	SV extralong 17	
	30-622	28 x 1.20	700 x 30C			10429340	10429311	10429342	10429343	10429363	
	32-622	28 x 1 1/8 x 1 1/4	700 x 32C								
	37-622	28 x 1 1/8 x 1 3/8	700 x 35C								
	40-622	28 x 1.50	700 x 38C								
	42-622	28 x 1.60	700 x 40C								
	47-622	28 x 1.75	700 x 45C								
	32-630	27 x 1 1/4				WP	WP	WP	WP		
	40-635	28 x 1 1/2	700 x 38B			10929440	10929311		10929443		
28" 29"	19	57-584	27 1/2 x 2.25	650 x 57B	220 g						
		40-622	28 x 1.50	700 x 38C		AV 19	DV 19		SV 19		
		47-622	28 x 1.75	29 x 1.75		10430340	10430311		10430343		
		50-622	28 x 2.00	29 x 2.00							
		54-622	28 x 2.10	29 x 2.10							
		57-622	28 x 2.25	29 x 2.25							
		62-622	28 x 2.40	29 x 2.40							
		40-635	28 x 1 1/2	700 x 38B			WP	WP	WP		
							10930311				
26"	14A	40-559	26 x 1.50		95 g					SV 14A	
		47-559	26 x 1.75			AV 14A				10424743	
		50-559	26 x 2.00			10424740					
		54-559	26 x 2.10								

WP = Workshop packing (50 tubes rolled in a carton)

XXLIGHT

EXTRALIGHT

True reliability. Reduced weight that has been proven for many years.



XXLIGHT

When every gram counts.



DOWNHILL

Extremely durable for specially demanding Downhill use. A strengthened rubber foot protects the valve against tear-off.



! If the aim is a large volume tire with a low weight, select a Freeride, Group 13F tube.

EXTRALIGHT

	No.	ETRTO	Size	!	🔧	€	AV	DV	RV	SV		
20"	6A	23-406	20 x 0.90			65 g						
		28-406	20 x 1.10							SV 6A		
		35-406	20 x 1.35									
		37-406	20 x 1 3/8									
		40-406	20 x 1.50							10414393		
	7C	40-406	20 x 1.50			95 g		AV 7C			SV 7C	
		47-406	20 x 1.75									
		50-406	20 x 2.00									
		54-406	20 x 2.10				10415710				10415713	
		57-406	20 x 2.125									
	60-406	20 x 2.35										
	24"	9B	20-540	24 x 3/4			65 g	AV 9B			SV 9B	
			25-540	24 x 1.00								
			28-540	24 x 1 1/8								
25-541			600 x 25A				10519290				10519293	
28-541			600 x 28A									
26"	11	20-559	26 x 3/4			60 g	AV 11			SV 11	SV extralight 11	
		25-559	26 x 1.00									
		20-571	26 x 3/4	650 x 20C								
		23-571	26 x 7/8	650 x 23C				10422310			10422313	10422363
	14	40-559	26 x 1.50			130 g		AV 14			SV 14	SV extralight 14
		47-559	26 x 1.75									
		50-559	26 x 2.00									
		54-559	26 x 2.10									
		57-559	26 x 2.25				10424340				10424343	10424363
	60-559	26 x 2.35										
	FREERIDE	13F	54-559	26 x 2.10			185 g	AV 13F			SV 13F	
			57-559	26 x 2.25								
			60-559	26 x 2.35								
62-559			26 x 2.50									
65-559			26 x 2.60				10425790				10425793	
70-559			26 x 2.75									
75-559			26 x 3.00									
28"	18	28-622	28 x 1 3/8 x 1 1/8	700 x 28C		105 g						
		30-622	28 x 1.20	700 x 30C								
		32-622	28 x 1 3/8 x 1 1/8	700 x 32C								
		37-622	28 x 1 3/8 x 1 1/8	700 x 35C								
		40-622	28 x 1.50	700 x 38C								
		42-622	28 x 1.60	700 x 40C								
		44-622	28 x 1.625	700 x 42C								
												SV 18
	20	18-622	28 x 3/4	700 x 18C		65 g						
		20-622	28 x 3/4	700 x 20C								
		22-622	28 x 7/8	700 x 22C								
		23-622	28 x 7/8	700 x 23C								
		25-622	28 x 1.00	700 x 25C								
		22-630	27 x 7/8									
25-630	27 x 1.00								SV 20	SV extralight 20	SV XXlong 20	
10426343	10426363	10426383										
28"	19A	57-584	27 1/2 x 2.25	650 x 57B		140 g						
		40-622	28 x 1.50	700 x 38C								
		47-622	28 x 1.75	29 x 1.75								
		50-622	28 x 2.00	29 x 2.00								
		54-622	28 x 2.10	29 x 2.10								
		57-622	28 x 2.25	29 x 2.25								
		62-622	28 x 2.40	29 x 2.40								
		40-635	28 x 1 1/2	700 x 38B								
										SV 19A	10430943	

DOWNHILL

20"	7D	54-406	20 x 2.10			200 g					
		57-406	20 x 2.25								
		60-406	20 x 2.35								
		62-406	20 x 2.50					AV 7D			
		65-406	20 x 2.60								
		70-406	20 x 2.75								
		75-406	20 x 3.00								10415740
24"	10D	54-507	24 x 2.10			260 g					
		57-507	24 x 2.25								
		60-507	24 x 2.35								
		62-507	24 x 2.50					AV 10D			
		65-507	24 x 2.60								
		75-507	24 x 3.00								10420740
26"	13D	54-559	26 x 2.10			290 g					
		57-559	26 x 2.25								
		60-559	26 x 2.35								
		62-559	26 x 2.50								
		65-559	26 x 2.60								
		70-559	26 x 2.75								
		75-559	26 x 3.00								AV 13D